KARCHER

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 4

Revision: 17.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: FoamStop neutral
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Defoamers, Anti-foaming agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

· Further information obtainable from:

Department TCD-D Tel.: +49-7195-14-2548 Fax : +49-7195-14-3164 productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void

- · Signal word Void
- · Hazard statements Void

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 4

Revision: 17.01.2017

Trade name: FoamStop neutral

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: defoaming agent based on polysiloxanes

· Dangerous components	:		
CAS: 9005-00-9	Octadecan-1-ol, ethoxylated	Aquatic Chronic 2, H411	
NLP: 500-017-8		• •	
Reg.nr.: 01-2119977092-34			
Population (EC) No 648/2004 on dotorgants (Labolling for contants			

Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Rinse with warm water.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents Water with full jet.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available. (Contd. on page 3)

(Contd. of page 1)

1-<2.5%



according to 1907/2006/EC, Article 31

Printing date 11.12.2020

KARCHER

Version number 4

Revision: 17.01.2017

Trade name: FoamStop neutral

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

No dangerous substances are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

ΕU



(Contd. of page 2)

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

KÄRCHER

Version number 4

Revision: 17.01.2017

(Contd. of page 3)

Trade name: FoamStop neutral

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands: Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:
 * butyl rubber 0,7 mm, 480 min
- As protection from splashes gloves made of the following materials are suitable: * nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye protection: Goggles recommended during refilling.

SECTION 9: Physical and chemical properties			
• 9.1 Information on basic physical and chemical properties			
	eneral Information		
Appearance: Form:	Liquid		
Colour:	White		
· Odour:	Specific type		
· Odour threshold:	Not determined.		
· pH-value:	Not determined.		
· pH-value 1 %:	8		
· Change in condition			
Melting point/freezing point:	0°C		
Initial boiling point and boiling range:	100 °C		
· Flash point:	>100 °C		
· Flammability (solid, gaseous)	Not applicable.		
· Ignition temperature:	not applicable		
· Decomposition temperature:	Not determined.		
· Auto-ignition temperature:	Product is not selfigniting.		
· Explosive properties:	Product does not present an explosion hazard.		
		(Contd. on page 5)	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 4

Revision: 17.01.2017

Trade name: FoamStop neutral

		(Contd. of pag
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.002 g/cm ³	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
Partition coefficient: n-octanol/wa	ter: Not determined.	
· Viscosity:		
dynamic at 20 °C:	100 mPas	
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
Solids content:	23.3 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 4

Revision: 17.01.2017

(Contd. of page 5)

Trade name: FoamStop neutral

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	oxicity:		
9005-00-9	9005-00-9 Octadecan-1-ol, ethoxylated		
LC50/96 h	108 mg/l (Brachydanio rerio)		

EC50/48 h 0.9 mg/l (Daphnia magna)

NOEC 0.77 mg/l (Daphnia magna)

0.16 mg/l (Lepomis macrochirus)

· 12.2 Persistence and degradability No further relevant information available.

· Other information: The product is biodegradable.

· 12.3 Bioaccumulative potential No further relevant information available.

- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · COD-value: 420000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 7)

EU





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 4

Revision: 17.01.2017

Trade name: FoamStop neutral

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Hand over to hazardous waste disposers. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Non contaminated packagings may be recycled.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

(Contd. on page 8)

KÄRCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 4

Revision: 17.01.2017

Trade name: FoamStop neutral

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

• Relevant phrases H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: TCD-D
- · Contact:

Department TCD-D Tel.: +49-7195-14-2548 Fax : +49-7195-14-3164 productsafety.management@de.kaercher.com

http://www.ationa.and.acronyme.

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPVB: very Persistent and very Bioaccumulative
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 * Data compared to the previous version altered.

0.011-368.0 / FoamStop/5.3 / 2125

EU -