

Brand	hansgrohe
Art. Name	MyFox Bath thermostat for exposed installation
Art. Nr.	13154000
Surface	Chrome
Pos.	1

Product picture




Features

- projection 182 mm
- 2 functions
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- flow rate: 20 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- thermostat cartridge, shut-off valve
- safety lock at 40° C
- temperature limitation adjustable
- non-return valve
- with automatic resetting
- with silencer
- material handles: metal
- connection type: s-shaped connections
- connection dimension: DN15
- dirt filter included


Technology




Drawing



Flow chart



1 Shower outlet with 1 B-resistanceTub outlet



Spare parts list

Pos.	Description	Articlenumber
1	handle	92836000
2	cover cap	95433000
3	safety set for temperature control	95041000
4	thermostat cartridge	94282000
5	stop ring for flow control	98674000
6	shut off unit with selector	96509000
7	nut	92853000
8	aerator M24x1 (25 l/min)	92511000
9	O-ring 14x2	98129000
10	set of unions	94285000
11	set of nuts	96157000
12	non return valve (pressure-resistant up to 2 MPa)	93136000
13	non return valve	96737000
14	O-ring 17x1,5	98137000
15	filter packing	96922000
16	escutcheon Ø 68 mm	96467000
17	set of S-unions (±12 mm)	94140000
18	noise reduction	96429000