



® TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.  
Technical and Test Institute for Construction Prague

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán / Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body. Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Notified Body 1020

# CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 020036600

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

## Thermal insulation products for buildings - Factory made mineral wool (MW) products

### - „Knauf Insulation“ products according to Annex No. 1 -

Subject of the certificate: Factory made mineral wool (MW) products – boards or mats with or without facing, intended to be used as thermal insulation of buildings,  
Reaction to fire class A1

placed on the market under the name or company or trade mark of:

**KNAUF INSULATION, spol. s r.o.**

Bucharova 2641/14, 158 00 Praha 5, Czech Republic, INo: 27242293

and produced in the manufacturing plant:

**KNAUF INSULATION, spol. s r.o.**

Pod Dolní drahou 110, 417 42 Krupka u Teplic, Czech Republic

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


**EN 13162+A1:2015**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

**constancy of performance of the construction product.**

This certificate was first issued on 10 January 2017 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020



České Budějovice, 10 January 2017

  
Ing. Milan Pálka  
Deputy manager of the Notified Body






# CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 020036600

## Annex No. 1 - List of assessed „Knauf Insulation“ products

	Trade name	Nominal thickness [mm]	Reaction to fire acc. to EN 13501-1+A1
1.	AKUSTIK BOARD	40 - 260	A1
2.	AKUSTIK BOARD PLUS	20 - 200	A1
3.	AKUSTIK BOARD PREMIUM	20 - 200	A1
4.	CLASSIC 032	40 - 260	A1
5.	CLASSIC 033	40 - 260	A1
6.	CLASSIC 033 R	≥ 30	A1
7.	CLASSIC 035	40 - 260	A1
8.	CLASSIC 035 R	≥ 30	A1
9.	CLASSIC 035-V	30 - 260	A1
10.	CLASSIC 037	40 - 260	A1
11.	CLASSIC 039	40 - 260	A1
12.	CLASSIC 040	30 - 260	A1
13.	CLASSIC 040-V	30 - 220	A1
14.	CLASSIC 042	50 - 260	A1
15.	CLASSIC 044	50 - 260	A1
16.	CLASSIC D-040	40 - 260	A1
17.	DECIBEL	40 - 240	A1
18.	DECIBEL PLUS	40 - 120	A1
19.	EASY IPB 037	40 - 260	A1
20.	EASY IPB 039	40 - 260	A1
21.	EASY LBB 039	40 - 260	A1
22.	EASY LBR 035 GVN	30 - 220	A1
23.	EASY LBR 039	40 - 260	A1
24.	EASY LBR 042	50 - 260	A1
25.	EASY LFR 037 GVN	30 - 220	A1
26.	EASY LFR 044	50 - 260	A1
27.	EASY LRR 032 U	40 - 260	A1
28.	EASY LRR 035 U	40 - 260	A1
29.	EASY LRR 039 U	60 - 260	A1
30.	EASY LRR 042 U	50 - 260	A1








# TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.

## Technical and Test Institute for Construction Prague

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán / Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body, Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

	Trade name	Nominal thickness [mm]	Reaction to fire acc. to EN 13501-1+A1
31.	ECOBATT 032	40 - 260	A1
32.	ECOBATT 033	40 - 260	A1
33.	ECOBATT 034	40 - 260	A1
34.	ECOBATT 035	40 - 260	A1
35.	ECOBATT 036	40 - 260	A1
36.	ECOBATT 037	40 - 260	A1
37.	ECOBATT MUR ISOLERING 032	40 - 260	A1
38.	ECOBATT MUR ISOLERING 033	40 - 260	A1
39.	ECOBATT MUR ISOLERING 034	40 - 260	A1
40.	ECOBATT MUR ISOLERING 035	40 - 260	A1
41.	ECOBATT MUR ISOLERING 036	40 - 260	A1
42.	ECOBATT MUR ISOLERING 037	40 - 260	A1
43.	ECOBLANKET	40 - 260	A1
44.	ECOBLANKET 037	40 - 260	A1
45.	EKOBOARD	40 - 260	A1
46.	EKOBOARD 037	40 - 260	A1
47.	EKOROLL	50 - 260	A1
48.	EKOROLL 032	40 - 260	A1
49.	EKOROLL 035	40 - 260	A1
50.	EKOROLL 035 GVN	30 - 220	A1
51.	EKOROLL 039	60 - 260	A1
52.	EKOROLL MPR 044	50 - 260	A1
53.	EXPERT 037	≥ 30	A1
54.	EXPERT IPB 037	40 - 260	A1
55.	EXPERT IPB 039	40 - 260	A1
56.	EXPERT LBR 035 GVN	30 - 220	A1
57.	EXPERT LFR 037 GVN	30 - 220	A1
58.	EXPERT LRR 032 U	40 - 260	A1
59.	EXPERT LRR 033	40 - 260	A1
60.	EXPERT LRR 035 U	40 - 260	A1
61.	EXPERT LRR 039 U	60 - 260	A1
62.	EXPERT LRR 040	40 - 260	A1
63.	EXPERT LRR 042	50 - 260	A1
64.	EXPERT LRR 044	50 - 260	A1
65.	FACADE BOARD 032 B	20 - 260	A1
66.	FACADE BOARD 034 B	25 - 260	A1
67.	FACADE BOARD 035 B	30 - 220	A1
68.	FCB 032	40 - 260	A1





	Trade name	Nominal thickness [mm]	Reaction to fire acc. to EN 13501-1+A1
69.	FCB 035	40 - 260	A1
70.	IDR 035	40 - 260	A1
71.	IDR 040	40 - 260	A1
72.	NATURBOARD 031	40 - 260	A1
73.	NATURBOARD 032	30 - 260	A1
74.	NATURBOARD 033	40 - 260	A1
75.	NATURBOARD 035	40 - 260	A1
76.	NATURBOARD 037	40 - 260	A1
77.	NATURBOARD WB	20 - 260	A1
78.	NATURBOARD WB KD	20 - 260	A1
79.	NATUROLL	50 - 260	A1
80.	NATUROLLPLUS	30 - 260	A1
81.	NATUROLL PRO	40 - 260	A1
82.	NATUROLL 032	40 - 260	A1
83.	NATUROLL 033	40 - 260	A1
84.	NATUROLL 035	40 - 260	A1
85.	NATUROLL 035 R	≥ 30	A1
86.	NATUROLL 037	40 - 260	A1
87.	NATUROLL 040	40 - 260	A1
88.	NATUROLL 040 R	≥ 30	A1
89.	SCS 135	40 - 260	A1
90.	TI 100	60 - 150	A1
91.	TI 116	30 - 200	A1
92.	TI 132 U	40 - 260	A1
93.	TI 135 H	40 - 260	A1
94.	TI 135 U	40 - 300	A1
95.	TI 137 U	50 - 260	A1
96.	TI 140	40 - 240	A1
97.	TI 140 DECIBEL	40 - 240	A1
98.	TI 140 T	40 - 120	A1
99.	TI 140 U	60 - 260	A1
100.	TI 140 W	25 - 260	A1
101.	TI 414	45 - 140	A1
102.	TI 415	20 - 200	A1
103.	TI 416	30 - 200	A1
104.	TI 432 U	30 - 260	A1
105.	TI 435 U	30 - 220	A1
106.	TIKD 135	40 - 260	A1







	Trade name	Nominal thickness [mm]	Reaction to fire acc. to EN 13501-1+A1
107.	TIKD 432	40 - 260	A1
108.	TIKD 435	40 - 260	A1
109.	TM 100	30 - 260	A1
110.	TM 415	50 - 200	A1
111.	TP 115	40 - 260	A1
112.	TP 116	30 - 260	A1
113.	TP 120 A	20 - 200	A1
114.	TP 138	30 - 260	A1
115.	TP 414	40 - 200	A1
116.	TP 416	30 - 200	A1
117.	TP 425	40 - 160	A1
118.	TP 425 B	30 - 220	A1
119.	TP 432 B	20 - 260	A1
120.	TP 435 B	25 - 260	A1
121.	TP 440	20 - 200	A1
122.	TPKD 415	30 - 220	A1
123.	TPKD 430	40 - 240	A1
124.	TPKD 432	40 - 260	A1
125.	TPM 100	40 - 220	A1
126.	TPM 132	40 - 260	A1
127.	TPM 135	40 - 260	A1
128.	ULTRACOUSTIC P	30 - 220	A1
129.	UNIFIT 033	40 - 260	A1
130.	UNIFIT 034	40 - 260	A1
131.	UNIFIT 035	40 - 260	A1
132.	UNIFIT 037	50 - 260	A1
133.	UNIFIT 039	60 - 260	A1



The stamp of the Notified Body, 1020

Ing. Milan Pálka  
Deputy manager of the Notified Body

České Budějovice, 10 January 2017